PIPELINE INSULATING JOINTS

Flange insulating kits

Document No.: 14-201-R1

Sheet: 1 of 2

Flange Insulating Kits are used for electrically isolating cathodic protected pipeline sections from unprotected pipelines or other metallic structures.

Gasket-seals are sealings which are effective immediately after installation when the pipes are assembled the first time. The gaskets have an almost unlimited durability and can be removed and reinstalled several times.

Gask-O-Seal gaskets are available to fit all international standards, sizes and pressure ratings.

	Gas	kets	Sleeve Spiral	Washer High		
Material	А В		Wound Mylar	Strength Phenolic		
Dielectric strength (V/ mm)	20 000	20 000	4 000	2 000		
Compressive strength (N/cm²)	16 900	16 900				
Flexural strength (N/cm²)	15 820	15 820				
Tensile strength (N/cm²)	17 580	17 580				
Water absorption (%)	1.6	1.6	0.8	1.0		
Recommended max. temperature for continuous use (°C)	80	107	150	107		

Material: A Neoprene faced phenolic

B GASKET-SEAL retainer phenolic laminate with integral nitrile or viton seals

If required, retainers and seals made of other materials can be supplied for special applications (for corrosive liquids, gases, vacuum).

Insulating Kits

Flange Insulating Kits consist of the following:


1 Gasket

Insulating sleeves (qty. according to flange type)
Insulating washers (qty. according to flange type)
Bright steel washers (qty. according to flange type)

Bolts and nuts are not included as standard but can be delivered on request.

German Cathodic Protection






General Information

Gasket-seals are based on the advantageous principle of O-ring seals, but without their characteristic disadvantages. Unlike O-rings, there is no need to provide grooves in the flanges with close tolerances or to align the flanges exactly during assembly.


Gasket seals are made of first-class insulating materials. Later on, they may be converted into insulating flanges by adding insulating sleeves and washers

Deformation of the sealing element under pressure is predetermined by the construction of the ring. The synthetic rubber of the element reverts to its original form if the flange is able to breathe under the pressure in the pipes, that is, the crown of the sealing ring remains in uniform contact with the inner flange surfaces, thus ensuring perfect sealing, even during pressure fluctuations.

The materials for the retainer and the sealing are carefully selected to allow their use in a wide range of liquids and gases under various operating conditions. Standard type gaskets can be used up to a maximum operating temperature of 107° C. High temperature gaskets even tolerate temperatures up to 180° C. Pressure capabilities considerably exceed the test pressure of ANSI 2500 flanges. They can also be used under low vacuum conditions.



Gasket-Seal **Type E** are used to avoid electrical contact points.



When using **Type F** gasket seals, the outside of the flange has to be taped.

Type F

No shutdown will be necessary when converting a normal gasket seal into an insulating flange. The bolts are removed one after another, fitted with insulating sleeves and washers, and then reinstalled. The flange coupling remains unaffected.

PIPELINE INSULATING JOINTS Flange insulating kits

Document No.: 14-201-R1

Sheet: 2 of 2

German Cathodic Protection GCP



Flange Insulating Kits (Gasket Dimensions)

Nom.	Gas I.I		Gas O.	sket D.	Seal Ring		Number and size of bolts							
Pipe Size	from	to	Type E	Type F	centre line dia.		ANSI 150	ANSI 300	ANSI 400	ANSI 600	ANSI 900	ANSI 1500	ANSI 2500	
1	1 ¹ / ₁₆	1			1.524"	.156	4- 1/2	4- ^{5/} 8	4- ^{5/} 8	4- ^{5/} 8	4- 7/8	4- ⁷ / ₈	4- ⁷ / ₈	
1 1/4	1 ³ / ₈	1 ¹ / ₄			1.940"	.156	4- 1/2	4- ^{5/} 8	4- ^{5/} 8	4- ^{5/} 8	4- ^{7/} 8	4- ⁷ / ₈	4- 1	
1 1/2	1 ⁵ / ₈	1 1/2		Bolt circle less bolt diameter	2.210"	.156	4- 1/2	4- 3/4	4- ³ / ₄	4- ³ / ₄	4- 1	4- 1	4- 1 ¹ / ₈	
2	2 1/16	1 ^{15/} 16			2.760"	.156	4- ^{5/} 8	8- ^{5/} 8	8- ^{5/} 8	8- ^{5/} 8	8- ^{7/} 8	8- ^{7/} 8	8 ₋ 1	
2 1/2	2 1/2	2 ⁵ / ₁₆			3.020"	.156	4- ^{5/} 8	8- ³ / ₄	8- ³ / ₄	8- ³ / ₄	8 ₋ 1	8- 1	8- 1 ¹ / ₈	
3	3 ^{1/} 16	2 ¹⁵ / ₁₆			3.600"	.156	4- ^{5/} 8	8- ^{3/} 4	8- ^{3/} 4	8- ^{3/} 4	8- ^{7/} 8	8- 1 ¹ / ₈	8- 1 ¹ / ₄	
3 1/2	3 ⁹ / ₁₆	3 7/16			4.170"	.172	8- ^{5/} 8	8- ³ / ₄	8- ^{7/} 8	8- ^{7/} 8				
4	4 1/16	3 ^{13/} 16			4.750"	.172	8- ^{5/} 8	8- ³ / ₄	8- ^{7/} 8	8- ^{7/} 8	8- 1 ¹ / ₈	8- 1 ¹ / ₄	8- 1 ¹ / ₂	
5	5 ^{1/} 16	4 13/16			5.650"	.172	8- ^{3/} 4	8- ³ / ₄	8- ^{7/} 8	8- 1	8- 1 ¹ / ₄	8- 1 ¹ / ₂	8- 1 ³ / ₄	
6	6 ^{1/} 16	5 ³ / ₄			6.720"	.172	8- ^{3/} 4	12- ³ / ₄	12- ^{7/} 8	12- 1	12- ¹¹ / ₈	12- ¹³ / ₈	8- 2	
8	8	7 ^{5/} 8			8.720"	.172	8- ^{3/} 4	12- ^{7/} 8	12- 1	12- ¹¹ / ₈	12- ¹³ / ₈	12- ¹⁵ / ₈	12-2	
10	10 ^{1/} 16	9 ³ / ₄			11.000"	.172	12- ^{7/} 8	16- 1	16- ¹¹ / ₈	16- ¹¹ / ₄	16- ¹³ / ₈	12- ¹⁷ / ₈	12- ²¹ / ₂	
12	12 ^{1/} 16	11 ³ / ₄			13.500"	.172	12- ^{7/} 8	16- ¹¹ / ₈	16- ¹¹ / ₄	20- 11/4	20- 1 ³ / ₈	16- ²	12- ²³ / ₄	
14	13 ^{1/} 4	13			14.700"	.172	12- 1	20- 11/8	20- 11/4	20- ¹³ / ₈	20- 11/2	16- ^{2¹} / ₄		
16	15 ^{1/} 4	15			16.750"	.188	16- 1	20- 11/4	20- 13/8	20- 11/2	20- 15/8	16- ²¹ / ₂		
18	17 ^{1/} 4	17			19.000"	.188	16- ¹¹ / ₈	24- 11/4	24- ¹³ / ₈	20- 15/8	20- 17/8	16- ²³ / ₄		
20	19 ^{1/} 4	19			21.000"	.188	20- 11/8	24- 11/4	24- 11/2	24- 15/8	20- 2	16- ³		
22	21 ^{1/} 4	21			23.250"	.188	20- 11/4	24- 11/2	24- ¹⁵ / ₈	24- ¹³ / ₄				
24	23 1/4	23			25.000"	.188	20- 11/4	24- 11/2	24- ¹³ / ₄	24- 1 ⁷ / ₈	20- 21/2	16- 3 ¹ / ₂		
26	25 ^{1/} 4	25			26.500"	.188	24- ^{1¹/} ₄	28- ¹⁵ / ₈	28- ¹³ / ₄	28- ¹⁷ / ₈	20- 23/4			
28	27 ^{1/} 4	27			28.500"	.188	28- 11/4	28- 15/8	28- 17/8	28- 2	20- 3			
30	29 ^{1/} 4	29			30.500"	.188	28- ^{1¹} / ₄	28- 1³/ ₄	28- 2	28- 2	20- 3			
32	31 ^{1/} 4	31			32.500"	.188	28- 11/2	28- 1 ⁷ / ₈	28- 2	28- 21/4	20- 31/4			
34	33 ^{1/} 4	33			34.500"	.188	32- 11/2	28- 1 ⁷ / ₈	28- 2	28- 21/4	20- 31/2			
36	35 ^{1/} 4	35			36.500"	.250	32- 11/2	32- 2	32- 2	28- 21/2	20- 31/2			
40	39 ^{1/} 4	39			40.500"	.250	36- 1 ¹ / ₂	36- 2	32- 21/2	28- ²³ / ₄				
42	41 ^{1/} 4	41			42.500"	.250	36- 1 ¹ / ₂	36- 2	32- 21/2	28- 23/4				

Pipe			Number and size of bolts according to DIN, ISO and BS 4504								
Size	Type	Type	nominal pressure								
DN	E F	10	16	25	40	64	100	160	250		
10		4-M12	4-M12	4-M12	4-M12	4-M12	4-M12	4-M12	4-M16		
15			4-M12	4-M12	4-M12	4-M12	4-M12	4-M12	4-M12	4-M16	
20			4-M12	4-M12	4-M12	4-M12					
25			4-M12	4-M12	4-M12	4-M12	4-M16	4-M16	4-M16	4-M20	
32			4-M16	4-M16	4-M16	4-M16					
40			4-M16	4-M16	4-M16	4-M16	4-M20	4-M20	4-M20	4-M24	
50			4-M16	4-M16	4-M16	4-M16	4-M20	4-M24	4-M24	8-M24	
65			4-M16	4-M16	4-M16	8-M16	8-M20	8-M24	8-M24	8-M24	
80		Ü	8-M16	8-M16	8-M16	8-M16	8-M20	8-M24	8-M24	8-M27	
100	ge	Bolt circle less bolt diameter	8-M16	8-M16	8-M16	8-M20	8-M24	8-M27	8-M27	8-M30	
125	O.D. of flange		ац	8-M16	8-M16	8-M20	8-M24	8-M27	8-M30	8-M30	12-M30
150	₽	i d	8-M20	8-M20	8-M24	8-M24	8-M30	12-M30	12-M30	12-M33	
175	0.	ō		8-M20	8-M24	12-M27	12-M30	12-M30	12-M33		
200	<u>О</u> .	SS	8-M20	12-M20	12-M27	12-M27	12-M33	12-M33	12-M33	12-M39	
250		<u>66</u>	12-M20	12-M24	12-M27	12-M30	12-M33	12-M36	12-M39	16-M45	
300	Same as	<u>e</u>	12-M20	12-M24	12-M27	16-M30	16-M33	16-M39	16-M39		
350	Ĕ	c <u>i</u> c	16-M20	16-M24	16-M27	16-M33	16-M36	16-M45	16-M45		
400	Sa	Ħ	16-M24	16-M27	16-M30	16-M36	16-M39	16-M45			
450		ĕ	20-M24	20-M27	16-M33						
500			20-M24	20-M30	20-M33	20-M39	20-M45	20-M52			
600			20-M27	20-M33	20-M33	20-M45	20-M52	20-M56			
700			24-M27	24-M33	20-M36	24-M45	24-M52	24-M64			
800			24-M30	24-M36	24-M39	24-M52	24-M56				
900			28-M30	28-M36	24-M45	28-M52	28-M56				
1000			28-M33	28-M39	28-M45	28-M52	28-M64				
1200			32-M36	32-M45	28-M52	32-M56	32-M72				
1400			36-M39	36-M45		36-M56					